


## Leisure 23~safe, 8




Safe, predictable, fast and comfortable on all points of sailing, the "Leisure" 23 is a really spacious family cruiser. Built by Cobramold Ltd., the established specialists in GRP construction and designed by marine consultant Frank Pryor, this 4/5 berth cruising boat is a highly popular member of the famous "Leisure" family – a family whose members include the "17", "20" and 6-berth racing/cruiser "27".

With its stiff, well-balanced sailing qualities, very full inventory, ample stowage space, choice of twin bilge or fin keel and a favourable 47% displacement-ballast ratio, the "Leisure 23" is perfect for day, weekend or holiday cruising – and very competitively priced.

Construction: One-piece, minimum-maintenance, GRP moulded hull with interior mouldings and bulkheads bonded in for exceptional strength and rigidity.

On Deck: Non-slip working area. Deep self-draining all weather cockpit, cushioned for comfort, with

## easy family sailing





anchor locker. Stainless steel pulpit and pushpit, lifting type tiller, stemhead roller, fairleads, cleats, winches, genoa track, anchor and chain. Aluminium gold anodised mast with stainless steel rigging, Barton roller reefing and spinnaker boom track. Teak gunwales, handrails and trim. Transom mounted outboard bracket for 7-10 hp motor.

Below Deck: All-moulded interior with 5' 8" (1.75m) headroom in main cabin. Galley with worktop, sink, cooker, waterpump and tank, overhead stale-air ventilator, plus built-in shelves, cupboards and drawers. Convertible table/double berth dinette area has deep cushions covered in washable fabric. There's a hanging locker, separate chemical toilet (sea toilet optional) with opening port, and extra storage space in open type lockers and under berths. Main cabin deckhead and bulkheads are finished in teak veneer and other surfaces in easy-clean material. You can sleep an adult and child in the forward cabin, three adults in the main cabin and quarter berth.

Rigging and Fittings: Top quality fittings are used throughout. Standing rigging 4mm stainless steel, stainless steel rigging screws. Pre-stretched terylene running rigging with stainless steel blocks and shackles. Standard jib and main are 6oz terylene.

